SUBPART C USED OIL GENERATOR COMPLIANCE INSPECTION CHECKLIST

1. I	If the generator prives beganded a weeks with used all without people in a the		NO	NA	V#
r	If the generator mixes hazardous waste with used oil without managing the mixture as hazardous waste, does the facility fall under the SQG exemption? K.A.R. 28-31-4(p)	9	9	9	
2. I	f the generator stores used oil on-site:				
á	a. Is the storage unit(s) in good condition? KAR 28-31-16/40 CFR 279.22(a)	9	9	9	
	b. Is the storage unit(s) free from leaks? KAR 28-31-16/40 CFR 279.22(b) b. Is the storage unit(s) and/or fill pipe(s) clearly labeled with the words "ILEED ON 3" KAR 28 24 46/40 CFR 270 22(a) (if storage unit(s) are labeled."	9	9	9	
	"USED OIL?" KAR 28-31-16/40 CFR 279.22(c) (If storage unit(s) are labeled "Waste Oil", simply make a comment that they should be re-labeled "Used Oil")	9	9	9	
3. I	f there has been a release of Used Oil:				
á	a. Was the leak stopped? KAR 28-31-16/40 CFR 279.22(d)(1)	9	9	9	
	 Was the release contained? KAR 28-31-16/40 CFR 279.22(d)(2) Was the release cleaned-up and managed properly? 	9	9	9	
	KAR 28-31-16/40 CFR 279.22(d)(3)	9	9	9	
(d. If necessary, was the storage unit repaired or replaced?				
	KAR 28-31-16/40 CFR 279.22(d)(4)	9	9	9	
	f the generator burns used oil on-site: a. Does generator burn only used oil that the generator/operator generates				
	or used oil received from household do-it-yourself used oil generators, or used oil from any source that has been determined to be on-spec?				
ŀ	KAR 28-31-16/40 CFR 279.23(a) b. Is the space heater designed to have a maximum capacity of	9	9	9	
(not more than 0.5 million Btu per hour? KAR 28-31-16/40 CFR 279.23(b) c. Are the combustion gases from the space heater vented to the	9	9	9	
`	ambient air? KAR 28-31-16/40 CFR, 279.23(c)	9	9	9	
á	f the generator self-transports used oil to an approved collection site or to an aggregate collection site owned by the generator a. Does the generator transport used oil in a vehicle owned by the generator or an employee of the generator? KAR 28-31-16/	,	,	,	
	40 CFR 279.24(a)(1) or 40 CFR 279.24(b)(1)	9	9	9	
k	Does the generator transport no more than 55 gallons of used oil at any time? KAR 28-31-16/40 CFR 279.24(a)(2) or 40 CFR 279.24(b)(2)	9	9	9	

NOTE: IF NO TO QUESTION 5-a OR 5-b, COMPLETE USED OIL TRANSPORTER CHECKLIST.

9 N/A

9 Non-Compliance

6.	If the generator has their used oil reclaimed under a tolling (contractual) agreement?							
	a.	Does the tolling (contractual) agreement indicate the type of used						
		oil and the frequency of shipments? KAR 28-31-16/40 CFR, 279.24(c)(1)	9	9	9			
	b.	Is the vehicle used to transport the used oil to the processing/re-refining facility and to deliver recycled used oil back to the generator owned and operated by the used oil processor/re-refiner?						
		KAR 28-31-16/40 CFR, 279.24(c)(2)	9	9	9			
	C.	Is reclaimed oil returned to the generator? KAR 28-31-16/40 CFR, 279.24(c)(3)	9	9	9			
7.		es the generator use a used oil transporter who is registered in Kansas? me of Transporter:	9	9	9			

9 Compliance

V# = Violation Number

Used Oil Generator Requirements:

Used Oil Generator 04-25-03.wpd: Checklist Revised April 25, 2003